

**IEEE Xplore®**
RELEASE 1.4Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE](#) [Quick Links](#)[Search Results](#)[Peer Review](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Your search matched **5** of **938665** documents.A maximum of **5** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Then click **Search Again**.

(optical array)and (grey <or> gray <or> tone <or> grayscale <or> greyscale)

Search

Results:Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

1 CMOS smart photosensor array for optoelectronic hit/miss transform processing of cervical smears*Metz, J.L.; Pleszkun, A.R.; Johnson, K.M.;*

Lasers and Electro-Optics Society Annual Meeting, 1998. LEOS '98.

IEEE, Volume: 2, 3-4 Dec 1998

Page(s): 67 -68 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(284 KB\)\]](#) **IEEE CNF****2 Polarisation-dependent performance of multiple wavelength electro-absorption intensity modulator arrays on a single InGaAs/InGaAsP chip***Ng, S.L.; Djie, H.S.; Lim, H.S.; Ooi, B.S.; Lam, Y.L.; Chan, Y.C.;**Dowd, P.; Aimez, V.; Beauvais, J.; Beerens, J.;*

Lasers and Electro-Optics Society, 2001. LEOS 2001. The 14th Annual Meeting of the IEEE, Volume: 1, 2001

Page(s): 40 -41 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(154 KB\)\]](#) **IEEE CNF****3 Conformal grating electromechanical system (GEMS) for high-speed digital light modulation***Kowarz, M.W.; Brazas, J.C., Jr.; Phalen, J.G.;*

Micro Electro Mechanical Systems, 2002. The Fifteenth IEEE International Conference on, 2002

Page(s): 568 -573

[\[Abstract\]](#) [\[PDF Full-Text \(595 KB\)\]](#) **IEEE CNF**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

- ☐ By Author
- ☐ Basic
- ☐ Advanced

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

Your search matched **35** of **938665** documents.

A maximum of **35** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

(led <or> light emitting diode)and (grey <or> gray <or> tone <or> grayscale <or> grey)

Search Again

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Consecutive PWM driving video LED display system

Xichao Mo; Yuanyue Zhang;

Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE

International Symposium on , Volume: 2 , 9-12 Jun 1997

Page(s): 1437 -1439 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) **IEEE CNF**

2 An automated visual inspection of solder joints using 2D and 3D features

Tae-Hyeon Kim; Tai-Hoon Cho; Young-Shik Moon; Sung-Han Park;

Applications of Computer Vision, 1996. WACV '96., Proceedings 3rd

IEEE Workshop on , 2-4 Dec 1996

Page(s): 110 -115

[\[Abstract\]](#) [\[PDF Full-Text \(360 KB\)\]](#) **IEEE CNF**

3 Design and development of voice/tele operated intelligent mobile robot

Singh, H.R.; Chauhan, S.; Mobin, A.; Agrawal, S.S.;

TENCON '97. IEEE Region 10 Annual Conference. Speech and Image Technologies for Computing and Telecommunications', Proceedings of IEEE , Volume: 1 , 2-4 Dec 1997

Page(s): 177 -180 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(340 KB\)\]](#) **IEEE CNF**

4 POSTRACK: a low cost real-time motion tracking system for

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
 - ☐ Establish IEEE Web Account
 - ☐ Access the IEEE Member Digital Library
-  Print Format

Your search matched **15** of **938665** documents.

A maximum of **15** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

liquid crystal shutter

Search Again

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Wrist-mounted laser rangefinder

Wakitani, J.; Maruyama, T.; Morita, T.; Uchiyama, T.; Mochizuki, A.;

Intelligent Robots and Systems 95. 'Human Robot Interaction and Cooperative Robots', Proceedings. 1995 IEEE/RSJ International Conference on , Volume: 3 , 5-9 Aug 1995

Page(s): 362 -367 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(1632 KB\)\]](#) **IEEE CNF**

2 3-dimensional personal computer system

Iwasaki, K.; Karibe, I.; Nakai, K.; Ueno, A.;

Consumer Electronics, IEEE Transactions on , Volume: 34 Issue: 3 , 8-10 Jun 1988

Page(s): 536 -542

[\[Abstract\]](#) [\[PDF Full-Text \(472 KB\)\]](#) **IEEE JNL**

3 Ferroelectric liquid-crystal shutter array with poly-Si TFT driver

Okumura, F.; Sera, K.; Asada, H.; Kaneko, S.; Ichinose, H.;

Naemura, S.; Tanaka, K.; Yokoi, T.; Tani, C.;

Display Research Conference, 1988., Conference Record of the 1988 International , 4-6 Oct 1988

Page(s): 174 -177

[\[Abstract\]](#) [\[PDF Full-Text \(212 KB\)\]](#) **IEEE CNF**

4 Color helmet display for the military cockpit

**IEEE Xplore**
RELEASE 1.0Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE](#) [Quick Links](#)[» Search Results](#)**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
 - ☐ Establish IEEE Web Account
 - ☐ Access the IEEE Member Digital Library
- Print Format

Your search matched **7** of **938665** documents.A maximum of **7** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

light shutter

Search Again**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Current trends in polymer dispersed liquid crystals***Doane, J.W.; Yang, D.-K.; Chien, L.-C.;*

Display Research Conference, 1991., Conference Record of the 1991 International, 15-17 Oct 1991

Page(s): 175 -178

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) **IEEE CNF****2 Measurement of the longitudinal wake potential in the Photon Factory electron storage ring***Tamura, K.; Kasuga, T.; Tobiyama, M.; Obina, T.; Baogen Sun;*

Particle Accelerator Conference, 1997. Proceedings of the 1997, Volume: 2, 12-16 May 1997

Page(s): 1664 -1666 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(268 KB\)\]](#) **IEEE CNF****3 New technologies improve passive LCDs and expand design flexibility***Holland, C.E.;*

WESCON/97. Conference Proceedings, 4-6 Nov 1997

Page(s): 150 -159

[\[Abstract\]](#) [\[PDF Full-Text \(1576 KB\)\]](#) **IEEE CNF****4 Colorimetric property of guest-host liquid crystal displays***Seki, H.; Uwano, T.; Uchida, T.;*

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

- ☐ By Author
- ☐ Basic
- ☐ Advanced

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library
- Print Format

Your search matched **15** of **938665** documents.

A maximum of **15** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click **Search Again**.

optical shutter

Search Again

Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

1 Serial-to-parallel conversion of femtosecond optical pulses using organic optical shutter

Tatsuura, S.; Wada, O.; Furuki, M.; Tian, M.; Sato, Y.; Pu, L.S.;
Lasers and Electro-Optics, 2000. (CLEO 2000). Conference on , 2000
Page(s): 151

[\[Abstract\]](#) [\[PDF Full-Text \(92 KB\)\]](#) **IEEE CNF**

2 Particle image velocimetry using Bragg cell as optical shutter

Ramuzat, A.; Riethmuller, M.L.; Angelucci, L.;
Instrumentation in Aerospace Simulation Facilities, 1997. ICIASF '97.,
Record International Congress on , 29 Sep-2 Oct 1997
Page(s): 303 -312

[\[Abstract\]](#) [\[PDF Full-Text \(1060 KB\)\]](#) **IEEE CNF**

3 Investigating the thermal response of a micro-optical shutter

Wong, C.C.; Graham, S.;
Thermal and Thermomechanical Phenomena in Electronic Systems,
2002. IOTHERM 2002. The Eighth Intersociety Conference on , 2002
Page(s): 1066 -1074

[\[Abstract\]](#) [\[PDF Full-Text \(964 KB\)\]](#) **IEEE CNF**

4 A novel optical accelerometer

Abbaspour-Sani, E.; Ruey-Shing Huang; Chee Yee Kwok;
IEEE Electron Device Letters , Volume: 16 Issue: 5 , May 1995

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L32</u>	L30 and l23	9	<u>L32</u>
<u>L31</u>	L30 and l24	5	<u>L31</u>
<u>L30</u>	l29 same strobe	132	<u>L30</u>
<u>L29</u>	latch same counter same shift register same clock	1914	<u>L29</u>
<u>L28</u>	L26 and l25	23	<u>L28</u>
<u>L27</u>	L26 and l23	285	<u>L27</u>
<u>L26</u>	electro\$optic or electro optic	23618	<u>L26</u>
<u>L25</u>	L24 and modulat\$3	634	<u>L25</u>
<u>L24</u>	L22 same l2	1357	<u>L24</u>
<u>L23</u>	L22 and l2	8151	<u>L23</u>
<u>L22</u>	l10 same (pulse or bit)	55493	<u>L22</u>
<u>L21</u>	L20 and l2	28	<u>L21</u>
<u>L20</u>	L16 same exceed\$4	171	<u>L20</u>
<u>L19</u>	L18 and comparator	68	<u>L19</u>
<u>L18</u>	L17 and counter and latch\$2 and shift register	96	<u>L18</u>
<u>L17</u>	L16 and l2	485	<u>L17</u>
<u>L16</u>	L10 same maximum same bit	2578	<u>L16</u>
<u>L15</u>	L14 and l2	465	<u>L15</u>
<u>L14</u>	l1 same maximum same bit	2429	<u>L14</u>
<u>L13</u>	L12 same maximum same bit	48	<u>L13</u>
<u>L12</u>	L2 same l1	8103	<u>L12</u>
<u>L11</u>	L10 and l2	70172	<u>L11</u>
<u>L10</u>	l1 or gradient	742302	<u>L10</u>
<u>L9</u>	L6 and gradient	433	<u>L9</u>
<u>L8</u>	L7 and gradient	6	<u>L8</u>
<u>L7</u>	L6 and optical shutter	52	<u>L7</u>
<u>L6</u>	L3 and l2	4220	<u>L6</u>
<u>L5</u>	L4 and l2	474	<u>L5</u>
<u>L4</u>	L3 same predetermined	2706	<u>L4</u>
<u>L3</u>	L1 same bit	27671	<u>L3</u>
<u>L2</u>	(optical or optical)(array or shutter) or led or light emit\$4 diode or lcs or liquid crstal shutter	725439	<u>L2</u>
<u>L1</u>	gradation or grade or grey or gray or grayscale or greyscale or tone or multi\$level	564807	<u>L1</u>

END OF SEARCH HISTORY